

SHENZHEN APOLLO INTERNATIONAL ELECTRONIC CO. LTD

Address: No.37, Fuyuan Road, Fenghuang 1st Industrial Park, Fuyong Town, Bao' an District, Shenzhen, Guangdong, China










TEL:86-755-28071815

Email: info@apollo-batteries.com

Attin: Roger 86-13723735067

MSN: apollo-batteries@hotmail.com

网址: <http://www.apollo-batteries.com>

No	Image	Description	Ac port	Power	DC tip
1		Acer 19V 3.16A	3-Prong	65W	Φ5.5×Φ2.1
		P/N: 25.10064.041	Code:		
		Acer TravelMate 230 Series;Acer Travelmate 2300 Series;Acer TravelMate 260 Series;Acer TravelMate;270XV Series;Acer TravelMate 273 Series;Acer TravelMate 275 Series;Acer TravelMate 280 Series;Acer TravelMate 290			
2		Acer 19V 3.16A	3-Prong	65W	Φ5.5×Φ1.7
		P/N: PA-1500-02	Code:		
		Aspire 1410 Series;Acer Aspire 1680 Series;Aspire 1690 Series;Acer Aspire 3000 Series;Acer Travelmate C310 series			
3		Acer 19V 3.16A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: PA-1500-02	Code:		
		TravelMate C111TCi TravelMate C110 Series TravelMate C113TCi MS2133			
4		Acer 19V 1.58A «Mini Adapter»	2-Prong	36W	Φ5.5×Φ2.5
		P/N:	Code:		
5		Acer 19V 1.58A «Mini Adapter»	2-Prong	36W	Φ5.5×Φ1.7
		P/N: PA-1300-04	Code:		
		ACER Aspire One A150L Series;ACER Aspire One A150X Series;ACER Aspire One ZG5 (Linux) Series;ACER Aspire One A150 Series;ACER Aspire One			
6		Acer 19V 3.42A	3-Prong	65W	Φ4.8×Φ1.7
		P/N:	Code:		
7		Acer 19V 3.42A	3-Prong	65W	Φ5.5×Φ1.7
		P/N: PA-1700-02 Model: AP.06501.014	Code:		
		Acer Aspire 1200, Acer Aspire 1650, Acer Aspire 3030, Acer Aspire 3200, Acer Aspire 3510, Acer Aspire 3670			
8		Acer 19V 3.42A	3-Prong	65W	Φ5.5×Φ2.1
		P/N:	Code:		
9		Acer 19V 3.42A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: ADP-65DB REV.B Model: PA-1650-0	Code:		

		Acer Aspire 1300 Series, Acer Aspire 1350 Series, Acer Aspire 1360 Series Acer Ferrari 3000 Series, Acer Ferrari 3200 Series, Acer Ferrari 4000 Series			
10		Acer 19V 4.74A P/N: PA-1900-05 Acer Aspire 1200, Acer Aspire 1650, Aspire 2920 Series, Acer Aspire 3030, Acer Aspire 3200, Acer Aspire 3510, Acer Aspire 3670, Acer Aspire 4310, Acer	3-prong Code:	90W	Φ5.5×Φ1.7 
11		Acer 19V 4.74A P/N: Model:	3-prong Code:	90W	Φ5.5×Φ2.1 
12		Acer 19V 4.74A P/N: AP.A1003.001 ACER AcerNote 367 ACER AcerNote 390series, ACER Extensa 360series, ACE	3-prong Code:	90W	Φ5.5×Φ2.5 
13		Acer 19V 4.74A P/N: Model:	3-prong Code:	90W	Φ4.8×Φ1.7 
14		Acer 19V 6.3A P/N: 91.49V28.002 Acer Aspire 1600, Aspire 1606 series; Acer Travelmate 240 Series, Acer Travelmate 250 Series, Acer Travelmate 2000 Series, Acer Travelmate 2100	3-prong Code:	120W	Φ5.5×Φ2.5 
15		Acer 19V 7.1A P/N: AP.13503.001 Acer Travelmate 2000, Acer Travelmate 2100, Acer Travelmate 2200, Acer Travelmate 2500, Acer Travelmate 2600, Acer Travelmate 2700	3-prong Code:	135W	Φ5.5×Φ2.5 
16		Acer 19V 7.7A P/N: PA-1151-03 Acer: Acer Aspire 1680 Acer Aspire 2010 Acer Aspire 2020 Acer Tablet PC C300 Acer TravelMate 2300	3-prong Code:	150W	Φ5.5×Φ2.5 
17		Acer 19V 7.9A P/N: AP.15001.001 Model: ADP-150CB Acer Aspire 1620 Series, Acer Aspire 1700 series, Acer Aspire 1710 series, Ace	3-prong Code:	150W	Φ5.5×Φ2.5 
18		Acer 19V 7.9A P/N: AP.18001.001 CLEVO 888E, 8880 series, 888es, 8880 V1, 8880 V2. CLEVO D87 Series	3-prong Code:	150W	4 pin 
19		Acer 20V 6A P/N: PA-1121-02 Acer Aspire 1360 series Acer Aspire 1500 series	3-prong Code:	120W	Φ5.5×Φ2.5 
20		Apple Apple 16.5V 3.65A (Square) P/N: A1184 Apple MacBook 13.3-inch 2.0GHz MB061LL/B, Apple MacBook 13.3-inch 2.2GHz MB062LL/B, Apple MacBook 13.3-inch 2.2GHz MB063LL/B, Apple MacBook 13.3-inch 2.0GHz MA700LL/A, Apple MacBook 13.3-inch 1.83GHz	2-Prong Code:	60W	5 pin magnet 

21		Apple 16.5V 3.65A (Rectangle)	2-Prong	60W	5 pin magnet
		P/N: A1184	Code:		
		Apple MacBook 13.3-inch 2.0GHz MB061LL/B, Apple MacBook 13.3-inch 2.2GHz			
22		Apple 18.5V 4.6A (Square)	2-Prong	85W	5 pin magnet
		P/N: A1172	Code:		
		Work for most Apple MacBook Pro / MacBook 13" laptops, MacBook 13" 1.83/2			
23		Apple 18.5V 4.6A (Rectangle)	2-Prong	85W	5 pin magnet
		P/N: A1172	Code:		
		Work for most Apple MacBook Pro / MacBook 13" laptops, MacBook 13" 1.83/2			
24		Apple 24V 1.875A (Square)	2-Prong	45W	Φ9.5×Φ3.5
		P/N: M2693	Code:		
		Apple iBook (1999 model - original), Apple iBook (2000 model - original), Apple iBook (Blueberry), Apple iBook (Graphite), Apple iBook (Indigo), Apple iBook (Orange)			
25		Apple 24V 1.875A (Rectangle)	2-Prong	45W	Φ9.5×Φ3.5
		P/N: M2693	Code:		
		Apple iBook (1999 model - original), Apple iBook (2000 model - original), Apple iBook (Blueberry), Apple iBook (Graphite), Apple iBook (Indigo), Apple iBook (Orange)			
26		Apple 24V 1.875A (Square)	2-Prong	45W	Φ7.7×Φ2.5
		P/N: M8482	Code:		
		Apple iBook (Dual USB), Apple iBook (14.1 LCD), Apple iBook (16 VRAM), Apple iBook (14.1 LCD 16 VRAM)↔ Apple iBook (Opaque 16 VRAM), Apple iBook (14.1 LCD 16 VRAM)↔ Apple iBook (Opaque 16 VRAM)			
27		Apple 24V 1.875A (Rectangle)	2-Prong	45W	Φ7.7×Φ2.5
		P/N: M8482	Code:		
		Apple iBook (Dual USB), Apple iBook (14.1 LCD), Apple iBook (16 VRAM), Apple iBook (14.1 LCD 16 VRAM)↔ Apple iBook (Opaque 16 VRAM), Apple iBook (14.1 LCD 16 VRAM)↔ Apple iBook (Opaque 16 VRAM)			
28		Apple 24V 2A (Rectangle)	2-Prong	45W	Φ7.7×Φ2.5
		P/N: 1036	Code:		
		Apple iBook (Dual USB), Apple iBook (14.1 LCD), Apple iBook (16 VRAM), Apple iBook (14.1 LCD 16 VRAM)↔ Apple iBook (Opaque 16 VRAM), Apple iBook (14.1 LCD 16 VRAM)↔ Apple iBook (Opaque 16 VRAM)			
29		Apple 24.5V 2.65A (Square)	2-Prong	65W	Φ7.7×Φ2.5
		P/N: A1021	Code:		
		PowerBook G4 (1GHz/867MHz), PowerBook G4 (15-inch FW800), PowerBook G4 (15-inch 1.5/1.33GHz), PowerBook G4 (17-inch), PowerBook G4 (17-inch 1.5/1.33GHz)			
30		Apple 24.5V 2.65A (Rectangle)	2-Prong	65W	Φ7.7×Φ2.5
		P/N: A1021	Code:		
		PowerBook G4 (1GHz/867MHz), PowerBook G4 (15-inch FW800), PowerBook G4 (15-inch 1.5/1.33GHz), PowerBook G4 (17-inch), PowerBook G4 (17-inch 1.5/1.33GHz)			
31		Asus 19V 2.64A	3-Prong	65W	Φ4.8×Φ1.7
		P/N: ADP-50MB	Code:		
		ASUS A1, L1, L7, L8, M1, M2A, M5N, M8, S1, S2A/B/N, S3, S5N/Ne, S8, T9, Z2 series ASUS Elite 73,7200,Elite L7200,Elite L7200 B series			
		Asus 19V 3.42A	3-Prong	65W	Φ5.5×Φ2.5

32		P/N: ADP-65DB REV.B Asus A6, A6JA, A6JC, A6Jm, A6K, A6KM, A6K1, A6M, A61, A61a, A61c, A6R, A6VA, A6VM, Asus A7C, A7D, A7E, A7G, A7J, A7Jc, A7M, A7S, A7Tc, A7V	Code:		
33		Asus 19V 4.74A	3-Prong	90W	Φ5.5×Φ2.5
		P/N: PA-1900-24 A6 Series: A6, A6JA, A6JC, A6Jm, A6K, A6KM, A6K1, A6M, A61, A61a, A61c, A6R, A6VA, A6VM	Code:		
34		Asus 9.5V 2.315A «Mini Adapter»	2-Prong	36W	Φ4.8×Φ1.7
		P/N: AD59930 Asus EEE pc;eee pc 700;eee pc 701;eee pc 701SD;eee pc 701SDX;eee pc 900;eee pc 2G surf;eee pc 4G;eee pc 4G surf;eee pc 8G	Code:		
35		Asus 19V 2.1A «Mini Adapter»	2-Prong	36W	Φ2.5×Φ0.7
		P/N: EXA0901XH ASUS Eee PC Netbook Mini Laptop Models: 1005HA, 1005HAB, 1005HA-F, 1005HA-P, 1005HA-V, 1008, 1008HA	Code:		
36		Asus 12V 3A «Mini Adapter»	2-Prong	36W	Φ4.8×Φ1.7
		P/N: ADP-36EH C ASUS Eee PC Series 900, 900A, 900HA, 900HD, 900SD, 901, 904HA, 1000, 1000H, 1002HA, 1000XP, S101 etc.	Code:		
37		Benq 18.5V 3.5A	3-Prong	65W	Φ4.8×Φ1.7
		P/N: 25.10140.011 Joybook 5000 / 5100 / 5200 / 7000 / S72 - Serie	Code:		
38		Benq 19V 3.16A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: 25.10135.011	Code:		
39		Benq 19V 3.42A	3-Prong	65W	Φ5.5×Φ1.7
		P/N: Model:	Code:		
40		Benq 19V 3.42A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: 25.10147.011 Model: SADB-65KB B BENQ Joybook R43 R42 R41 R56	Code:		
41		Benq 19V 4.74A	3-Prong	90W	Φ5.5×Φ2.5
		P/N: Model:	Code:		
42		Benq 19V 4.74A	3-Prong	90W	Φ5.5×Φ1.7
		P/N: Model:	Code:		
43		Dell 19V 1.58A «Mini Adapter»	2-Prong	36W	Φ5.5×Φ1.7
		P/N: FSP030-DQDA1	Code:		

		DELL mini series			
44		Dell 14V 3A	3-Prong	42W	Φ6.5×Φ4.4
		P/N: AD-4214N	Code:		
		1701FP, 1702FP, 1900FP, 1500FP series, 17" 19" LCD Samsung LTM1555, Sa			
45		Dell 19V 2.64A	3-Prong	65W	3 holes in a line
		P/N: 09834T Model: ADP-50SB REV.C	Code:		
		Latitude LS400, Dell Latitude LS500, Dell Inspiron 2000, Dell Inspiron 2100			
46		Dell 19V 3.16A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: NX061 Model: PA-16	Code:		
		DELL INSPIRON: 1000, 1200, 1300, 2200, B120, B130 DELL LATITUDE: 100L 120L 110L			
47		Dell 19V 3.34A	3-Prong	65W	Octagon rhombus
		P/N: LA65NS2-00 Model: PA-21	Code:		
		Dell xps m1330, Inspiron 1318			
48		Dell 19.5V 3.34A	2-Prong	65W	Φ7.4×Φ5.0
		P/N: 5U092 Model: PA-12	Code:		
		Dell Inspiron 300m ; Dell Inspiron 500m ; Dell Inspiron 505m Dell Inspiron 600m ; Dell Inspiron 610m ; Dell Inspiron 630m			
49		Dell 19.5V 4.62A	2-Prong	90W	Φ7.4×Φ5.0
		P/N: 9T215 Model: PA-10	Code:		
		Dell Inspiron 1150 ; Dell Inspiron 1501 ; Dell Inspiron 300m Dell Inspiron 500m ; Dell Inspiron 510m ; Dell Inspiron 600m			
50		Dell 19V 4.74A	3-Prong	90W	Φ5.5×Φ2.5
		P/N: 9T458 Model: PA-11	Code:		
		Dell SmartStep 200N , Dell SmartStep 250N			
51		Dell 19.5V 6.7A	3-Prong	135W	Φ7.4×Φ5.0
		P/N: 9Y819 Model: PA-13	Code:		
		DELL XPS: M1210, M170, M1710, GEN 2			
52		Dell 19.5V 7.7A	3-Prong	150W	Φ7.4×Φ5.0
		P/N: N3834 Model: PA-15	Code:		
		Dell Inspiron 9100 Series Dell Inspiron 9200 Series			
53		Dell 20V 3.5A	3-Prong	70W	Horseshoe
		P/N: 9364U Model: PA-6	Code:		
		Dell PA-6 Family ;Inspiron 2500 Series ;Inspiron 2600 Series ;Inspiron 2650 S			
54		Dell 20V 4.5A	3-Prong	90W	Horseshoe
		P/N: 6G356 Model: PA-9	Code:		
		Dell Inspiron 4150, Dell Inspiron 5100, Dell Inspiron 8200, Dell Latitude C840, D			

55		Dell 20V 4.5A (Lcd)	3-Prong	90W	4 pin
		P/N: 0R0423 Dell 20.1" Flat Panel TFT LCD Monitor Dell UltraSharp 2001FP	Code:		
56		Delta 20V 2A «Mini Adapter»	2-Prong	36W	Φ5.5×Φ2.5
		P/N: ADP-40MH DB ADVENT 4211 4212 4213 4214 4480 4489 4490NETBOOK INSPIRON MINI 9 MSI Wind U90 Series	Code:		
56		Delta 19V 1.58A «Mini Adapter»	3-Prong	65W	Φ5.5×Φ1.5
		P/N: ADP-30JH B Acer Aspire One Series Acer Aspire One 8GB 8.9" Laptop Series	Code:		
57		Delta 19V 2.64A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: ADP-50HH Gateway Solo or NEC Versa Notebook	Code:		
58		Delta 19V 3.16A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: ADP-60BB Dell Inspiron B130 Dell Inspiron 1000	Code:		
59		Delta 19V 3.42A	3-Prong	65W	Φ5.5×Φ1.7
		P/N: ADP-65DB REV.B Gateway Solo or NEC Versa Notebook	Code:		
60		Delta 19V 3.42A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: SADP-65KB A Acer Aspire 1680 Acer Aspire 2010	Code:		
61		Delta 19V 3.95A	3-Prong	75W	Φ5.5×Φ2.5
		P/N: ADP-75SB AB/ADP-75SB BB Aspire 1300 Series Satellite A210 Series Aspire 1300XC Satellite A300 Series	Code:		
62		Delta 19V 4.74A	3-Prong	90W	Φ5.5×Φ1.7
		P/N: ADP-90SB Acer Aspire 1300 Series, 1300XC Acer Aspire 1300 Series 1302X	Code:		
63		Delta 19V 4.74A	3-Prong	90W	Φ5.5×Φ2.5
		P/N: ADP-90FB REV.E HP Compaq Business Notebook PC nx9000 DF981A, DF982A, DF984A, DF985A, DF986A, DF987A, DG211A, DG212A, DG213A, DG214A, DG223T	Code:		
64		Delta 19V 6.32A	3-Prong	120W	Φ5.5×Φ2.5
		P/N: ADP-120ZB Acer Travelmate 240 Series, Acer Travelmate 250 Series	Code:		
		Delta 19V 7.11A	3-Prong	135W	Φ5.5×Φ2.5

65		P/N: ADP-135DB Acer Travelmate 2100, Acer Travelmate 2200, Acer Travelmate 2500, Acer Travelmate 2600, Acer Travelmate 2700, Acer Travelmate 4050, Acer Aspire	Code:		
66	Fujitsu	Fujitsu 16V 2.5A «Mini Adapter»	2-Prong	36W	Φ6.5×Φ4.4
		P/N: SEB55N2-16.0F	Code:		
67		Fujitsu 16V 3.36A	3-Prong	65W	Φ6.5×Φ4.4
		P/N: FMV-AC304B C-4120, C-4235, C-5130, C-5235, C-6177, C-6320, C-6330, C-6525, C-6535, C-6537, C-6547, C-6556, C-6557, C-6577	Code:		
68		Fujitsu 16V 3.75A	3-Prong	65W	Φ6.5×Φ4.4
		P/N: CA01007-0870 Model: FMV-AC311S Fujitsu LifeBook S6210 Series, LifeBook C Series, LifeBook C325, LifeBook C340, LifeBook C350, LifeBook C352	Code:		
69		Fujitsu 19V 3.16A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: CA01007-0900 Model: FMV-AC312 C1211 C1320	Code:		
70		Fujitsu 19V 4.22A	3-Prong	90W	Φ5.5×Φ2.5
		P/N: SEB100P2-19.0 Model: Fujitsu Amilo W-7800 Series Laptop Fujitsu LifeBook A1010 Series Laptop	Code:		
71	Gateway	Gateway 19V 1.58A «Mini Adapter»	2-Prong	36W	Φ5.5×Φ1.7
		P/N: Model:	Code:		
72		Gateway 19V 3.16A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: 6500550 Gateway Solo 1400, Gateway Solo 1450, Gateway Solo 2200, Gateway Solo 2300, Gateway Solo 2350, Gateway Solo 3100, Gateway Solo 3150, Gateway	Code:		
73		Gateway 19V 3.42A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: ACD83-110114-7100 Model: PA-165 Gateway Solo Series: GATEWAY 3000 Series:	Code:		
74		Gateway 19V 3.68A	3-Prong	90W	Φ5.5×Φ2.5
		P/N: SA70-3105 Gateway Solo 1100, Gateway Solo 2100, Gateway Solo 2200, Gateway Solo 2300, Gateway Solo 2500, Gateway Solo 2550	Code:		
75		Gateway 18.5V 4.9A	3-Prong	90W	Bullet
		P/N: 83-110106-3000 Gateway Emachines M5000, M5105, M5106, M5116, M5118, M5303, M5305, M5309, M5310, M5310M, M5312, M5313	Code:		
		Gateway 19V 4.74A	3-Prong	90W	Φ5.5×Φ2.5

76		P/N: 0220A1990 Gateway 3000 Series: Gateway 4000 Series:	Code:		
77		Gateway 19V 6.3A P/N: 83-110144-0000 Gateway : M250, M460, M460A, M465, M520, M680, M685 Gateway : NX550 NX560 NX850 NX860	3-Prong	120W	Φ5.5×Φ2.5 
78	Hp/Compaq 	Hp/compaq 19V 1.58A «Mini Adapter» P/N: 496813-001 Model: PPP018H HP Mini 1100 Vivienne Tam Edition PC Series;HP Mini 1000 Vivienne Tam Edition PC Series;	2-Prong	36W	Φ4.8×Φ1.7 
79		Hp/compaq 19V 1.58A «Mini Adapter» P/N: 493092-002 534554-001 Compaq Mini 700 PCs: HP Mini 1000 PCs:	2-Prong	36W	Φ4.0×Φ1.7 
80		Hp/compaq 18.5V 1.1A P/N: Model:	3-Prong	36W	Φ4.8×Φ1.7 
81		Hp/compaq 18.5V 1.1A P/N: Model: HP/COMPAQ 710C , HP/COMPAQ 712C , HP/COMPAQ 720C HP/COMPAQ 72	3-Prong	36W	Φ5.5×Φ2.5 
82		Hp/compaq 18.5V 2.7A P/N: 179725-002 Model: PA-1500-02C Compaq Armada Laptops :T10, T10s, E500, E500s, E700, M300, M700, V300 Compaq Evo Laptops:N110 N150 N200 N400c N410c N600c N610c	3-Prong	65W	Φ4.8×Φ1.7 
83		Hp/compaq 18.5V 3.5A P/N: 380467-001 Model: PA-1650-02H Compaq Presario M2000 Series: Compaq Presario 2800 Series:	3-Prong	65W	Φ4.8×Φ1.7 
84		Hp/compaq 18.5V 3.5A P/N: Model: Hp Pavilion DV2000 Series , Hp Pavilion DV6000 Series	3-Prong	65W	Bullet 
85		Hp/compaq 18.5V 3.5A P/N: 463552-001 Model: PA-1650-02HC HP Compaq Business Notebook NC Series: HP Compaq Business Notebook NW Series:	3-Prong	65W	Φ7.4×Φ5.0 
86		Hp/compaq 18.5V 3.8A P/N: 386315-002 Pavilion dv1000 Series Presario M2000 Series	3-Prong	65W	Φ4.8×Φ1.7 
87		Hp/compaq 18.5V 4.5A P/N: PA-1440-3C	3-Prong	90W	Special 4 hole 

		Compaq Armada 1500 Series: 1500C, 1505, 1505DM, 1510, 1510DM, 1520, 1520D, 1520DM.			
88		Hp/compaq 18.5V 4.9A	3-Prong	90W	Bullet
		P/N: 239428-001 Model: PA-1900-15C2 Code: All eMachines M5000 Series and M6000 Series Notebooks... Works with eMachines Lantop M Series - M5000, M5105, M5116, M5305			
89		Hp/compaq 18.5V 4.9A	3-Prong	90W	Φ5.5×Φ2.5
		P/N: 324816-001 Code: HP Compaq Business NX9000, HP Compaq Business NX9005, HP Compaq Bu			
90		Hp/compaq 18.5V 4.9A	3-Prong	90W	Φ7.4×Φ5.0
		P/N: Model: NC2400 NC6400 NX6310 NX6315 NX6325 NX7400 HP Compaq nc4400 Noteb			
91		Hp/compaq 18.5V 4.9A	3-Prong	90W	oval tip
		P/N: 394210-001 Model: PA-1900-05HD Code: HP Pavilion zv6000, zv6000 (CTO), zv6001xx, zv6002xx, zv6003xx, zv6004EA, zv6004xx, zv6005us, zv6006FA, zv6007US, zv6008cl, zv6009FA, zv6009us.			
92		Hp/compaq 18.5V 6.5A	3-Prong	120W	Φ7.4×Φ5.0
		P/N: 391174-001 Code: TC4400 NC4400			
93		Hp/compaq 18.5V 6.5A	3-Prong	120W	oval tip
		P/N: 394208-001 Model: PA-1121-02HD Code: HP Pavilion zv6000, zv6000 (CTO), zv6001xx, zv6002xx, zv6003xx, zv6004EA, zv6004xx, zv6005us, zv6006FA, zv6007US, zv6008cl, zv6009FA, zv6009us.			
94		Hp/compaq 18.5V 6.5A	3-Prong	120W	Φ5.5×Φ2.5
		P/N: 316688-001 Code: COMPAQ BUSINESS NX9100, NX9105, NX9110, COMPAQ R3000, R3000t, R3000z, R3001AP, R3001US, R3001XX, R3002AP, R3002XX, R3003AP			
95		Hp/compaq 19V 3.16A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: 298238-001 Code: Dell Inspiron Series: 1000, 1200, 1300, 2200, B120, B130			
96		Hp/compaq 19V 3.95A	3-Prong	90W	Φ5.5×Φ2.5
		P/N: 0905-4334 Code: HP Pavilion N3000, N3100, N3150, N3250, N3270, N3290/5, N3310, N3330, N3390, N3410, N5000, N5100, N5125, N5130, N5150, N5170, N5190/5			
97		Hp/compaq 19V 4.74A	3-Prong	90W	Φ5.5×Φ2.5
		P/N: 393954-001 Model: PA-1900-08R1 Code: Compaq Presario 2100 Series: Compaq Presario 2500 Series:			
98		Hp/compaq 19V 4.74A	3-Prong	90W	Φ4.8×Φ1.7
		P/N: Model:			
		Hp/compaq 19V 4.74A	3-Prong	90W	Bullet

99		P/N: 393954-001 Model: PA-1900-08R1 HP Pavilion DV6000 Series HP Pavilion DV8000 Series	Code:		
100		Hp/compaq 19V 4.74A	3-Prong	90W	Φ7.4×Φ5.0
		P/N: 384021-001 Model: PA-1900-18H2 HP Compaq Business Notebook NC Series HP Compaq Business Notebook NW Series	Code:		
101		Hp/compaq 19V 7.1A	3-Prong	135W	Φ5.5×Φ2.5
		P/N: 345312-002 Compaq Presario R3000 series HP Pavilion zd7000 Series	Code:		
102		Hp/compaq 19V 7.1A	3-Prong	135W	Oval tip
		P/N: 374427-002 HP Compaq Business Notebook nx9600, HP Pavilion zd8000	Code:		
103		Hp/compaq 19V 7.1A	3-Prong	135W	Φ7.4×Φ5.0
		P/N: 397747-001 Model: PA-1131-08HC HP/Compaq nw8440	Code:		
104		Hp/compaq 19V 7.9A	3-Prong	150W	Oval tip
		P/N: Model: HP/Compaq x6000, nx9600, zd8000 Series	Code:		
105		Hp/compaq 19V 9.5A	3-Prong	180W	Oval tip
		P/N: 344500-001 Model: PA-1181-08H HP Pavilion zd8001AP, zd8001xx, zd8002AP, zd8002xx, zd8003AP, zd8003xx, zd8007EA zd8008EA zd8010EA zd8010xx zd8011xx zd8015EA zd8020EA	Code:		
106		Hp/compaq 19V 9.5A	3-Prong	180W	Φ7.4×Φ5.0
		P/N: 397748-001 Model: PA-1181-08	Code:		
107		IBM 16V 2.2A «Mini Adapter»	3-Prong	35W	Φ5.5×Φ2.5
		P/N: 02K7012 , 12J1447 IBM Thinkpad 350, 750, 755 and 760	Code:		
108		IBM 19V 4.2A	3-Prong	90W	Φ5.5×Φ2.5
		P/N: SA80T-3115 IBM ThinkPad T1400, T1442, T1460, T1480, T148Z, T1500, T152Z, T1700, T1720 Gateway Solo 5300 Series 5350 Series 450X4 Series 600YGR Series 600	Code:		
109		IBM 16V 3.36A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: 02K6543 IBM Thinkpad: 235 240 240X 365 365C 365CD 365CS 365CSD 365E 365ED 365X	Code:		
110		IBM 16V 7.5A P/N: 02K7085	3-Prong	120W	4 hole 

		IBM THINKPAD G40 G41 AC ADAPTER			
111		IBM 16V 3.5A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: 02K6813 ThinkPad 240, 310, 360, 380, 385XD, 390, 390E, 385XD, 770, ThinkPad 600, 600E, 600X, Thinkpad 500, 560, 570	Code:		
112		IBM 16V 4.5A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: 08K8208 A20, A20, A20M, A20P, A21, A21E, A21M, A21P, A22E, A22M, A22P, A30, A30 series, A30P, A31, A31P, R30, R31, R32, R40, R40E, R50, R50E, R50P	Code:		
113		Lenovo 20V 2A «Mini Adapter»	2-Prong	36W	Φ5.5×Φ2.5
		P/N: ADP-40NH B Lenovo IdeaPad S9 series: Lenovo IdeaPad S9e series:	Code:		
114		IBM (Lenovo) 20V 3.25A	3-Prong	65W	Φ7.9×Φ5.5
		P/N: 92P1156 IBM / Lenovo ThinkPad X60 Series IBM / Lenovo ThinkPad T60, Type 1951, Model 44x Series IBM / Lenovo	Code:		
115		IBM (Lenovo) 20V 4.5A	3-Prong	90W	Φ7.9×Φ5.5
		P/N: 92P1113 IBM/Lenovo ThinkPad T60 Type 1951, IBM/Lenovo T60, Z60 Series (integrated graphics only), IBM ThinkPad X60 1706, 1707, 1708, 1709, 2509, 2501, IBM	Code:		
116		IBM (Lenovo) 19V 3.42A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: 0712A1965 •LENOVO ThinkPad Z60 Series ADAPTER •ThinkPad X60 Series	Code:		
117		IBM (Lenovo) 19V 4.74A	3-Prong	90W	Φ5.5×Φ2.5
		P/N: ADP-90RH B IBM Lenovo IdeaPad U330, Type 2267 IBM Lenovo IdeaPad Y430, Type 2781	Code:		
118		Lg 18.5V 3.5A	3-Prong	40W	Φ4.8×Φ1.7
		P/N: 	Code:		
119		Lg 19V 4.74A	3-Prong	50W	Bullet Tip
		P/N: 	Code:		
120		LS 12V 3.33A	3-Prong	40W	Φ5.5×Φ2.5
		P/N: LSE0107A1240 Compaq / HP TFT1501, VF52 Presario, FP1501C Monitors. Various Electronics	Code:		
121		LS 12V 4.16A	3-Prong	50W	Φ5.5×Φ2.5
		P/N: LSE9901B1260	Code:		

		ViewSonic X Series VX2000 Monitor ViewSonic VX2000-1			
122		LS 18.5V 3.5A	3-Prong	65W	Φ4.8×Φ1.7
		P/N: 0335A1865 Compaq Presario M2000 Series: Compaq Presario 2800 Series:	Code:		
123		LS 18.5V 4.9A	3-Prong	90W	Bullet
		P/N: Model:	Code:		
124		LS 18.5V 4.9A	3-Prong	90W	Φ5.5×Φ2.5
		P/N: Model:	Code:		
125		LS 19V 3.42A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: 0335A1965 ACER TravelMate and Aspire Notebooks: TM211T 212T 213TX TM340T TM 341T TM342 TM345T TM347T	Code:		
126		LS 19V 4.74A	3-Prong	90W	Φ5.5×Φ2.5
		P/N: LSE0202C1990 Compaq Presario 2700 Series: Compaq Presario 2500 Series:	Code:		
127		LS 19V 6.32A	3-Prong	120W	4 pin
		P/N: 0227B19120	Code:		
128		LS 20V 2A «Mini Adapter»	2-Prong	36W	Φ5.5×Φ2.5
		P/N: 0225A2040 Lenovo IdeaPad S9 series Lenovo IdeaPad S9e series	Code:		
129		LS 20V 3.25A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: 0335C2065 AJP ADP-60DB BB Battery ADP-60BB	Code:		
130		LS 20V 4.5A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: LSE0202A2090	Code:		
131		LS 20V 9A	3-Prong	180W	4 pin
		P/N: 0415B20180 ALIENWARE Area-51M 7700 MTECH 9800P D700T D750W D9T D90T D900T and much more	Code:		
132		Liteon 15V 5A	3-Prong	90W	Φ6.3×Φ3.0
		P/N: PA-1750-08 Toshiba ADP-60RHA, PA-1750-07, PA-1750-08 Toshiba PA2301U-1ACA, PA2411U, PA2438U, PA2440U, PA2444U, PA2444Ut, PA2450U, PA2484U, PA2500U	Code:		









133		Liteon 19V 3.16A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: PA-1600-07	Code:		
		Acer AcerNote 367D, Acer AcerNote 367T, Acer AcerNote 390, Acer AcerNote 3			
134		Liteon 19V 3.42A	3-Prong	65W	Φ5.5×Φ2.5
		P/N: PA-1650-01	Code:		
		Acer Aspire 1300 Series Acer Aspire 1350 Series			
135		Liteon 19V 3.95A	3-Prong	75W	Φ5.5×Φ2.5
		P/N: PA-1750-09	Code:		
		Satellite A100 Series;Satellite A105 Series ;Satellite M60 Series ;Satellite M65 S			
136		Liteon 19V 4.74A	3-Prong	90W	Φ5.5×Φ2.5
		P/N: PA-1900-04	Code:		
		Gateway 3000 Series:Gateway 4000 Series:Gateway 6000 Series:Gateway MX3000 Series:Gateway MX6000 Series:Gateway MI 3000 Series:Gateway			
137		Liteon 19V 4.74A	3-Prong	90W	Φ5.5×Φ1.7
		P/N: PA-1900-24	Code:		
		ASUS :A2, A2000, A2000C, A2000D, A2000G, A2000H, A2000K, A2000L, A2000S, A2000T, A2508H, A2514H, A2534H, A2540H, A27, A28, A2C, A2D			
138		Liteon 19V 6.3A	3-Prong	120W	Φ5.5×Φ2.5
		P/N: PA-1121-08	Code:		
		Acer Travelmate 240 Series, Acer Travelmate 250 Series,Acer Travelmate 2000 Series, Acer Travelmate 2100 Series, Acer Travelmate 2200 Series, Acer			
139		Liteon 19V 6.3A	3-Prong	120W	4 pin
		P/N: PA-1121-02	Code:		
		Averatec 6100 Series, NOBILIS A2500H,			
140		Liteon 19V 9.5A	3-Prong	180W	4 pin
		P/N: AP.18001.001	Code:		
141		Liteon 19V 7.9A	3-Prong	120W	4 pin
		P/N: PA-1181-08	Code:		
		Gateway M675, M675CS, M675E, M675E Plus, M675X, M675XL, Acer Aspire 1700 Series, Acer Aspire 1710 Series			
142		Liteon 20V 6A	3-Prong	120W	Φ5.5×Φ2.5
		P/N: PA-1121-02	Code:		
		Acer Aspire 1360, 1500, 1510, 1520, 152Z, 1524 WLMi, Acer Aspire 1600, 1610, 1620, 1660, 1670, 1680 series, Acer TravelMate 240, 250, 2000, 2100			
143		Nec 15V 4A	3-Prong	65W	Φ6.3×Φ3.0
		P/N: ADP-60JH	Code:		
		Nec 19V 2.64A	3-Prong	65W	Φ4.8×Φ1.7

144		P/N: OP-520-75301 NEC OP-520-75301 , #A1	Code:		
145		Nec 19V 3.16A	3-Prong	65W	$\Phi 5.5 \times \Phi 2.5$
		P/N: OP-520-67501	Code:		
146		Nec 19V 6.3A	3-Prong	120W	$\Phi 5.5 \times \Phi 2.5$
		P/N: PA-1121-03	Code:		
147		Nec 19V 6.32A	3-Prong	120W	$\Phi 5.5 \times \Phi 2.5$
		P/N: CP163061-03 Model: SEC150P2-19	Code:		
148		Samsun Samsung 14V 3A	3-Prong	45W	$\Phi 6.5 \times \Phi 4.4$
		P/N: BN44-00080A LTM1555;SYNCM150MP;SYNCM152B;SYNCM152T;SYNCM170T;SYNCM172B;SYNCM172S;SYNCM172T;SYNCM180T;SYNCM191T;SYNCM192T SYNCM570STFT SYNCM570VTFT	Code:		
149		Samsung 16V 3.75A	3-Prong	60W	$\Phi 5.5 \times \Phi 3.0$
		P/N: PSCV600104A	Code:		
150		Samsung 19V 2.1A «Mini Adapter»	3-Prong	60W	$\Phi 5.5 \times \Phi 3.0$
		P/N: ADP-40MH AB Samsung NC10 10" 10.2" Netbook	Code:		
151		Samsung 19V 3.15A	3-Prong	60W	$\Phi 5.5 \times \Phi 3.0$
		P/N: AD-6019V • Samsung S serie sens630 sens640 sens650 sens670 sens680 sens690 sens710 sens750	Code:		
152		Samsung 19V 3.16A	3-Prong	60W	$\Phi 5.5 \times \Phi 3.0$
		P/N: AD-6019 Samsung Sens 630 Samsung Sens 820	Code:		
153		Samsung 19V 4.22A	3-Prong	90W	$\Phi 5.5 \times \Phi 3.0$
		P/N: AD8019 Samsung Sens Series Samsung Sens 630	Code:		
154		Samsung 19V 4.74A	3-Prong	60W	$\Phi 5.5 \times \Phi 3.0$
		P/N: AD-9019S Samsung ATU Samsung GT9000	Code:		
155		Sony 10.5V 1.9A «Mini Adapter»	2-Prong	36W	$\Phi 4.8 \times \Phi 1.7$
		P/N: VGP-AC10V2	Code:		

155		VGN-P25G VGN-P23G			
156		Sony 12V 3A «Mini Adapter»	2-Prong	36W	Φ5.5×Φ3.0
		P/N: MPA-AC1 SONY DRX-530UL Vedio Camera	Code:		
157		Sony 16V 2.8A	2-Prong	50W	Φ6.5×Φ4.4
		P/N: VGP-AC16V11	Code:		
158		Sony 16V 3.75A	2-Prong	65W	Φ6.5×Φ4.4
		P/N: PCGA-AC16V1 SONY VAIO PCG-505EX, PCG-505F, PCG-505FX, PCG-505G, PCG-505GX, PCG-505LS, PCG-505TR, PCG-505TS, PCG-505TX, PCG-505VF, PCG-	Code:		
159		Sony 16V 4A	2-Prong	65W	Φ6.5×Φ4.4
		P/N: VGP-AC16V8 Sony PCG-505E, PCG-505EX, PCG-505F, PCG-505FX, PCG-505G, PCG- 505GX, PCG-505LS, PCG-505TR, PCG-505TS, PCG-505TX, PCG-505X	Code:		
160		Sony 19.5V 2.15A	2-Prong	40W	Φ6.5×Φ4.4
		P/N: PCGA-ACX1 Sony VAIO Series : PCG-700, PCG-705, PCG-707, PCG-707C, PCG-711, PCG-717, PCG-719	Code:		
161		Sony 19.5V 3A	2-Prong	65W	Φ6.5×Φ4.4
		P/N: PCGA-AC19V2 Sony vaio PCG-FR Series PCG-FR100, PCG-FR102, PCG-FR105, PCG-FR130, PCG-FR130U, PCG-	Code:		
162		Sony 19.5V 3.3A	2-Prong	65W	Φ6.5×Φ4.4
		P/N: PCGA-AC19V PCG-705, PCG-707, PCG-717, PCG-719, PCG-729, PCG-731, PCG-735, PCG-748	Code:		
163		Sony 19.5V 3.9A	2-Prong	90W	Φ6.5×Φ4.4
		P/N: VGP-AC19V19 SONY VGN-FZ100 series (VGN-FZ130E/B, VGN-FZ140E/B, VGN-FZ140N/B, V	Code:		
164		Sony 19.5V 4.1A	2-Prong	90W	Φ6.5×Φ4.4
		P/N: PCGA-AC19V3 PCG-GRX51/BP, PCG-GRX52/GB, PCG-GRS71, PCG-GRX72, PCG- GRX81G/P, PCG-GRX90/P, PCG-GRX91G/P, PCG-GRX92G/P, PCG-	Code:		
165		Sony 19.5V 4.7A	2-Prong	90W	Φ6.5×Φ4.4
		P/N: VGP-AC19V11 Sony VAIO VGN-BX168GP, VAIO VGN-BX4AANS, VAIO VGN-BX4AAPS, VAIO VGN-BX4KANB, VAIO VGN-BX541B, VAIO VGN-BX543B, VAIO VGN-	Code:		
166		Sony 19.5V 5.13A	2-Prong	120W	Φ6.5×Φ4.4
		P/N: PCGA-AC19V4 SONY VAIO PCG-GRT100, SONY VAIO PCG-GRT100ZA, SONY VAIO PCG- GRT160, SONY VAIO PCG-GRT170, SONY VAIO PCG-GRT230, SONY VAIO	Code:		

167		Sony 19.5V 6.15A	2-Prong	135W	Φ6.5×Φ4.4
		P/N: PCGA-AC19V7 Sony laptops (high power) GRT 230 Series, GRT 250/270 Series, GRT1100, PCG-FRV25 PCG-FRV26 PCG-FRV27 PCG-FRV28 PCG-FRV37 PCG-	Code:		
168		Sony 19.5V 6.2A	2-Prong	135W	Φ6.5×Φ4.4
		P/N: VGP-AC19V15 VAIO VGN-AR130G Series VAIO VGN-AR150EG VAIO VGN-AR150G Series	Code:		
169		Sony 19.5V 7.7A	2-Prong	150W	Φ6.5×Φ4.4
		P/N: PCGA-AC19V9 Sony PCG-GRT280ZG Series, Sony PCG-GRT290Z Series, Sony PCG- GRT290ZP27 Series, Sony PCG-GRT360ZG Series, Sony PCG-GRT380ZG	Code:		
170		Toshiba 15V 2A	2-prong	30W	Φ6.3×Φ3.0
		P/N: PA2438U	Code:		
171		Toshiba 15V 3A	2-prong	45W	Φ6.3×Φ3.0
		P/N: PA3080U-1ACA Satellite Z20CDS, Z20CDS (16MB-base), Z20CDS (32MB-base), Z20CS (16MB-base), Z20CS (32MB-base), Z25CDS, Z25CDS, Z30CDS, Z30CX, Z35, Z35CDS, Z50, Z300, Z300CDS, Z305, Z305CDS, Z305CDT, Z310, Z310CDS, Z310CDT	Code:		
172		Toshiba 15V 4A	2-prong	60W	Φ6.3×Φ3.0
		P/N: PA3282U-2ACA Toshiba Satellite Z20, Z20CDS, Z225, Z25CDS, Z30, Z30CDS, Z30CX, Z35, Z35CDS, Z50, Z300, Z300CDS, Z305, Z305CDS, Z305CDT, Z310, Z310CDS, Z310CDT	Code:		
173		Toshiba 15V 5A	2-prong	75W	Φ6.3×Φ3.0
		P/N: PA3469U-1ACA Toshiba Tecra 8000, 8100, 8200, 9000, 9100 Tecra A1, A2, A3, A4, M1, M2, M3, M4, M2V, S1, S2, Tecra TF2000, TF2100	Code:		
174		Toshiba 15V 6A	2-prong	90W	Φ6.3×Φ3.0
		P/N: PA2521E-2AC3 Satellite 1400 Series, Satellite 1800 Series, Satellite 2500 Series, Satellite 5000 Series, Satellite Pro 6000 Series, Toshiba Satellite M Series, Toshiba Satellite R	Code:		
175		Toshiba 15V 8A	2-prong	120W	Φ6.3×Φ3.0
		P/N: Model:	Code:		
176		Toshiba 15V 8A	2-prong	120W	Special 4 hole
		P/N: PA3237U-3ACA Toshiba Satellite A20-S259, Toshiba Satellite A25-S207, A25-S208, A25-S279,	Code:		
177		Toshiba 19V 1.58A «Mini Adapter»	2-prong	36W	Φ5.5×Φ2.5
		P/N: PA3743E-1AC3 Toshiba NB200 Notebook series: Toshiba NB200-002	Code:		
		Toshiba 19V 3.16A	2-prong	65W	Φ5.5×Φ2.5

178		P/N: PA3032U-1ACA DynaBook SS425, Satellite 1000 series, Satellite 1005 series, Satellite 1200 series, Satellite 1600 series, Satellite 1605 series, Satellite 1620 series	Code:		
179		Toshiba 19V 3.42A	2-prong	65W	Φ5.5×Φ2.5
		P/N: PA3467E-1AC3 Toshiba Tecra L Series:Toshiba Satellite M30X Series:Toshiba Satellite M35X Series:Toshiba Satellite M45 Series:Toshiba Satellite M55 Series:Toshiba	Code:		
180		Toshiba 19V 3.95A	2-prong	75W	Φ5.5×Φ2.5
		P/N: PA3468E-1AC3 Toshiba Satellite A100-S2211, Satellite A105, Satellite A105-S1012, Satellite A105-S1013, Satellite A105-S1014, Satellite A105-S171, Satellite A105-S1712.	Code:		
181		Toshiba 19V 4.74A	2-prong	90W	Φ5.5×Φ2.5
		P/N: PA3516U-1ACA Gateway 3000 Series:Gateway 4000 Series:Gateway 6000 Series:Gateway MX3	Code:		
182		Toshiba 19V 4.74A	2-prong	90W	Φ6.3×Φ3.0
		P/N: Model:	Code:		
183		Toshiba 19V 6.3A	2-prong	120W	Φ5.5×Φ2.5
		P/N: PA3336U-2ACA Toshiba Satellite A35 Series:Toshiba Satellite A60 Series:Toshiba Satellite A65 Series:Toshiba Satellite A70 Series:Toshiba Satellite A75 Series:Toshiba	Code:		
184		Toshiba 19V 6.3A	2-prong	120W	Φ6.3×Φ3.0
		P/N: PA3381U-1ACA Toshiba Satellite P25 Series: Toshiba Satellite P15 Series:Toshiba Satellite P10	Code:		
185		LCD Lcd 12V 3A	3-prong	36W	Φ5.5×Φ2.5
		P/N: NL30-120300-I1, EA1050F-120, LSE01 ACER LCD MONITOR: AC501, AC711, AC915, AF705, AL506, AL511, AL512, AL532, AL712, AL713, AL715, AL716, AL722, AL732, AL922 ADI LCD MONITOR: A2304, A500, A5000, A501, A502, A505, A700, A701,	Code:		
186		Lcd 12V 4A	3-prong	48W	Φ5.5×Φ2.5
		P/N: NL30-120300-I1, EA1050F-120, LSE01 ACER LCD MONITOR: AC501, AC711, AC915, AF705, AL506, AL511, AL512, AL532, AL712, AL713, AL715, AL716, AL722, AL732, AL922	Code:		
187		Lcd 12V 5A	3-prong	60W	Φ5.5×Φ2.5
		Code:			
188		Lcd 12V 6A	3-prong	75W	Φ5.5×Φ2.5
		Code:			
189		Lcd 12V 7A	3-prong	90W	Φ5.5×Φ2.5
		Code:			

					
190		Lcd 12V 8A	3-prong	120W	Φ5.5×Φ2.5
			Code:		
191		Lcd 12V 9A	3-prong	120W	Φ5.5×Φ2.5
			Code:		
192		Lcd 12V 10A	3-prong	120W	Φ5.5×Φ2.5
			Code:		
193		Lcd 12V 11A	3-prong	135W	Φ5.5×Φ2.5
			Code:		
194		Lcd 12V 12A	3-prong	150W	Φ5.5×Φ2.5
			Code:		
195		Lcd 12V 12.5A	3-prong	150W	Φ5.5×Φ2.5
			Code:		
196		Lcd 18.5V 6.5A	3-prong	120W	Φ5.5×Φ2.5
			Code:		
197		Lcd 12V 3A	3-prong	36W	4 pin
			Code:		
198		Lcd 12V 4A	3-prong	48W	4 pin
			Code:		
199		Lcd 12V 5A	3-prong	60W	4 pin
			Code:		
200		Lcd 12V 6A	3-prong	75W	4 pin
			Code:		
		Lcd 12V 7A	3-prong	90W	4 pin

201			Code:		
202		Lcd 12V 8A	3-prong	120W	4 pin
			Code:		
203		Lcd 12V 9A	3-prong	120W	4 pin
			Code:		
204		Lcd 12V 10A	3-prong	120W	4 pin
			Code:		
205		Lcd 12V 11A	3-prong	135W	4 pin
			Code:		
206		Lcd 12V 12A	3-prong	150W	4 pin
			Code:		
207		Lcd 12V 12.5A	3-prong	150W	4 pin
			Code:		
208		Lcd 18.5V 6.5A	3-prong	120W	4 pin
			Code:		

Remark:

1. Sample: available
2. MOQ is 50 pcs.
3. Packing: plastic and blister bag and paper box.
4. Mass production ship date: 2-3 working days after receiving the deposit
5. Payment term: 30% down payment by TT and the balance 70% before shipment
6. Above prices do not include power cord, if you need power cord, please contact me
7. Quotation Valid time: one month

- 8. All Compatible model are collected from Internet, pls make strict confirmation before use it.**
- 9. Some models are under development.**
- 10. Warranty: 12-months for replacement adapter.**
- 11. Through the CE FCC ROHS Certification.**

SHENZHEN APOLLO INTERNATIONAL ELECTRONIC CO. LTD
Address: No.37, Fuyuan Road, Fenghuang 1st Industrial Park, Fuyong Town, Bao' an District,
 Shenzhen, Guangdong, China
 TEL:86-755-28071815
 Email: info@apollo-batteries.com
 Attin: Roger 86-13723735067
 MSN: apollo-batteries@hotmail.com

No	Image	Description	Power	DC tip
1		Acer 19V 3.16A	60W	Φ5.5×Φ2.1
		Model:YD190-316		
2		Acer 19V 3.16A	60W	Φ5.5×Φ1.5
		Model:YD190-316		
3		Acer 19V 3.16A	60W	Φ5.5×Φ2.5
		Model:YD190-316		
4		Acer 19V 3.42A	65W	Φ5.5×Φ2.1
		Model:YD190-342		
5		Acer 19V 3.42A	65W	Φ4.8×Φ1.7
		Model:YD190-342		
6		Acer 19V 3.42A	65W	Φ5.5×Φ1.5
		Model:YD190-342		
7		Acer 19V 3.42A	65W	Φ5.5×Φ2.5
		Model:YD190-342		
8		Acer 19V 4.74A	90W	Φ5.5×Φ2.1
		Model:YD190-474		
9		Acer 19V 4.74A	90W	Φ4.8×Φ1.7
		Model:YD190-474		
10		Acer 19V 4.74A	90W	Φ5.5×Φ1.5
		Model:YD190-474		

11		Acer 19V 4.74A	90W	$\Phi 5.5 \times \Phi 2.5$
		Model: YD190-474		
12		Apple 24.5V 2.65A	65W	$\Phi 7.7 \times \Phi 2.5$
		Model: YD245-265		
13		Apple 16.5V 3.65A	60W	5 pin magnet
		Model: YD165-365		
14		Apple 18.5V 4.6A	85W	5 pin magnet
		Model: YD185-460		
15		Asus 19V 4.74A	90W	$\Phi 5.5 \times \Phi 2.5$
		Model: YD190-474		
16		Asus 19V 3.42A	65W	$\Phi 5.5 \times \Phi 2.5$
		Model: YD190-342		
18		Benq 19V 3.16A	60W	$\Phi 5.5 \times \Phi 2.5$
		Model: YD190-316		
19		Benq 19V 3.42A	65W	$\Phi 5.5 \times \Phi 2.5$
		Model: YD190-342		
20		Benq 19V 3.42A	65W	$\Phi 5.5 \times \Phi 1.5$
		Model: YD190-342		
21		Benq 19V 4.74A	90W	$\Phi 5.5 \times \Phi 2.5$
		Model: YD190-474		
22		Benq 19V 4.74A	90W	$\Phi 5.5 \times \Phi 1.5$
		Model: YD190-474		
23		Benq 18.5V 3.5A	65W	$\Phi 4.8 \times \Phi 1.7$
		Model: YD185-350		
		Dell 19V 3.16A	60W	$\Phi 5.5 \times \Phi 2.5$

24		Model:YD190-316		
25		Dell 19.5V 3.34A	65W	Φ7.4×Φ5.0
		Model:YD195-334		
26		Dell 19.5V 3.34A	65W	Octagon rhombus
		Model:YD195-334		
27		Dell 19.5V 4.62A	65W	Φ7.4×Φ5.0
		Model:YD195-462		
28		Dell 19V 4.74A	90W	Φ5.5×Φ2.5
		Model:YD190-474		
29		Dell 20V 4.5A	90W	Horseshoe
		Model:YD200-450		
30		Delta 19V 3.16A	60W	Φ5.5×Φ2.5
		Model:YD190-316		
31		Delta 19V 3.42A	65W	Φ5.5×Φ2.5
		Model:YD190-342		
32		Delta 19V 3.42A	65W	Φ5.5×Φ1.5
		Model:YD190-342		
33		Delta 19V 3.95A	75W	Φ5.5×Φ2.5
		Model:YD190-395		
34		Delta 19V 4.74A	90W	Φ5.5×Φ1.5
		Model:YD190-474		
35		Delta 19V 4.74A	90W	Φ5.5×Φ2.5
		Model:YD190-474		
36		Fujitsu 19V 3.16A	60W	Φ5.5×Φ2.5
		Model:YD190-316		

				
37		Fujitsu 16V 3.36A	60W	$\Phi 6.5 \times \Phi 4.4$
		Model:YD160-336		
38		Gateway 19V 3.16A	60W	$\Phi 5.5 \times \Phi 2.5$
		Model:YD190-316		
39		Gateway 19V 3.42A	65W	$\Phi 5.5 \times \Phi 2.5$
		Model:YD190-342		
40		Gateway 19V 4.74A	90W	$\Phi 5.5 \times \Phi 2.5$
		Model:YD190-474		
41		Gateway 18.5V 4.9A	90W	Bullet
		Model:YD185-490		
42		Hp/compaq 19V 3.16A	60W	$\Phi 5.5 \times \Phi 2.5$
		Model:YD190-316		
43		Hp/compaq 18.5V 2.7A	50W	$\Phi 4.8 \times \Phi 1.7$
		Model:YD185-270		
44		Hp/compaq 18.5V 3.5A	65W	$\Phi 4.8 \times \Phi 1.7$
		Model:YD185-350		
45		Hp/compaq 18.5V 3.5A	65W	Bullet
		Model:YD185-350		
46		Hp/compaq 18.5V 3.5A	65W	$\Phi 7.4 \times \Phi 5.0$
		Model:YD185-350		
47		Hp/compaq 18.5V 3.8A	70W	$\Phi 4.8 \times \Phi 1.7$
		Model:YD185-380		
48		Hp/compaq 19V 3.95A	75W	$\Phi 5.5 \times \Phi 2.5$
		Model:YD190-395		













49		Hp/compaq 18.5V 4.9A	90W	Bullet
		Model:YD185-490		
50		Hp/compaq 18.5V 4.9A	90W	Φ5.5×Φ2.5
		Model:YD185-490		
51		Hp/compaq 18.5V 4.9A	90W	Φ7.4×Φ5.0
		Model:YD185-490		
52		Hp/compaq 18.5V 4.9A	90W	oval tip
		Model:YD185-490		
53		HP 19V 4.74A	90W	Φ7.4×Φ5.0
		Model:YD190-474		
54		HP 19V 4.74A	90W	Φ5.5×Φ2.5
		Model:YD190-474		
55		HP 19V 4.74A	90W	Bullet
		Model:YD190-474		
56		HP 19V 4.74A	90W	Φ4.8×Φ1.7
		Model:YD190-474		
57		IBM (Lenovo) 20V 3.25A	65W	Φ7.9×Φ5.5
		Model:YD200-325		
58		IBM 16V 3.36A	60W	Φ5.5×Φ2.5
		Model:YD160-336		
59		IBM 16V 4.5A	65W	Φ5.5×Φ2.5
		Model:YD160-450		
60		IBM 20V 4.5A	65W	Φ7.9×Φ5.5
		Model:YD200-450		
		IBM (Lenovo) 19V 3.42A	65W	Φ5.5×Φ2.5

61		Model:YD190-342		
62		IBM (Lenovo) 19V 4.74A	90W	Φ5.5×Φ2.5
		Model:YD190-474		
63		LS 19V 3.42A	65W	Φ5.5×Φ2.5
		Model:YD190-342		
64		LS 18.5V 3.5A	65W	Φ4.8×Φ1.7
		Model:YD185-350		
65		LS 18.5V 4.9A	90W	Φ5.5×Φ2.5
		Model:YD185-490		
66		LS 18.5V 4.9A	90W	Bullet
		Model:YD185-490		
67		LS 19V 4.74A	90W	Φ5.5×Φ2.5
		Model:YD190-474		
68		LS 20V 4.5A	90W	Φ5.5×Φ2.5
		Model:YD200-450		
69		Liteon 19V 3.16A	60W	Φ5.5×Φ2.5
		Model:YD190-316		
70		Liteon 19V 3.42A	65W	Φ5.5×Φ2.5
		Model:YD190-342		
71		Liteon 19V 3.95A	75W	Φ5.5×Φ2.5
		Model:YD190-395		
72		Liteon 19V 4.74A	90W	Φ5.5×Φ2.5
		Model:YD190-474		
73		Liteon 19V 4.74A	90W	Φ5.5×Φ1.5
		Model:YD190-474		

				
74		Nec 19V 3.16A	60W	Φ5.5×Φ2.5
		Model:YD190-316		
75		Samsung 19V 3.16A	60W	Φ5.5×Φ3.0
		Model:YD190-316		
76		Samsung 19V 4.74A	90W	Φ5.5×Φ3.0
		Model:YD190-474		
78		Sony 19.5V 4.7A	90W	Φ6.5×Φ4.4
		Model:YD195-470		
79		Toshiba 15V 4A	60W	Φ6.3×Φ3.0
		Model:YD150-400		
80		Toshiba 15V 6A	90W	Φ6.3×Φ3.0
		Model:YD150-600		
81		Toshiba 19V 3.16A	60W	Φ5.5×Φ2.5
		Model:YD190-316		
82		Toshiba 19V 3.42A	65W	Φ5.5×Φ2.5
		Model:YD190-342		
83		Toshiba 19V 3.95A	75W	Φ5.5×Φ2.5
		Model:YD190-395		
84		Toshiba 19V 4.74A	90W	Φ5.5×Φ2.5
		Model:YD195-470		
85		Toshiba 19V 4.74A	90W	Φ6.3×Φ3.0
		Model:YD195-470		
86		LCD 12V5A	60W	Φ5.5×Φ2.5
		Model:YD120-500		

Mini DC Car Adapter

87		LCD 15V2A	30W	$\Phi 5.5 \times \Phi 2.5$
				
88		LS 20V2A 5.5*2.5	40W	$\Phi 5.5 \times \Phi 2.5$
				
89		DELTA 20V2A 5.5*2.5	40W	$\Phi 5.5 \times \Phi 2.5$
				
90		LENOVO 20V2A 5.5*2.5	40W	$\Phi 5.5 \times \Phi 2.5$
				
91		TOSHIBA 19V1.58A 5.5*2.5	30W	$\Phi 5.5 \times \Phi 2.5$
				
92		LITEON 19V1.58A 5.5*2.5	30W	$\Phi 5.5 \times \Phi 2.5$
				
93		DELL 19V1.58A 5.5*1.5(1.7)	30W	$\Phi 5.5 \times \Phi 1.5$
				
94		ACER 19V1.58A 5.5*1.5(1.7)	30W	$\Phi 5.5 \times \Phi 1.5$
				
95		HP 19V1.58A 4.8*1.7	30W	$\Phi 4.8 \times \Phi 1.7$
				
96		HP 19V1.58A 4.0*1.7	30W	$\Phi 4.0 \times \Phi 1.7$
				
97		三星 19V2.1A 5.5*3.0	20W	$\Phi 5.5 \times \Phi 3.0$
				
98		ASUS 9.5V2.315A 4.8*1.7	21W	$\Phi 4.8 \times \Phi 1.7$
				

				
99		ASUS 19V2.1A 2.5*0.7	40W	
101		ASUS 12V3A 4.8*1.7	36W	
102		SONY 19.5V2A 6.0(6.5)*4.4	39W	
103		SONY 10.5V2.9A 4.8*1.7	30W	
104		SONY 10.5V1.9A 4.8*1.7	20W	

Remark:

1. Sample: available
2. MOQ is 100 pcs.
3. Packing: plastic and blister bag and paper box.
4. Mass production ship date: 2-3 working days aftter receiving the deposit
5. Payment term: 30% down payment by TT and the balance 70% before shipment
6. Above prices do not include power cord, if you need power cord, please contact me
7. Quotation Valid time: one month
8. All Compitable model are collected from Internet, pls make strict confirmation before u
9. Some models are under development.
10. Warranty: 12-months for replacement adapter.
11. Through the CE FCC ROHS Certification.



SHENZHEN APOLLO INTERNATIONAL ELECTRONIC CO. LTD

Address: No.37, Fuyuan Road, Fenghuang 1st Industrial Park, Fuyong Town, Bao' an District,

Shenzhen, Guangdong, China

TEL:86-755-28071815

Email: info@apollo-batteries.com







Attn: Roger 86-13723735067

MSN: apollo-batteries@hotmail.com

No	Image	Description	Ac port	Power	DC tip
1		Acer 19V 4.74A	2-Prong	90W	Φ5.5×Φ1.5
		P/N: ADP-90SB BB	Code:		
2		Acer 19V 4.74A	2-Prong	90W	Φ5.5×Φ2.5
		P/N: AP.A1003.001	Code:		
3		Asus 19V 4.74A	2-Prong	90W	Φ5.5×Φ2.5
		P/N: PA-1900-24	Code:		
4		Apple 16.5V 3.65A (Rectangle)	2-Prong	60W	5 pin magnet
		P/N: A1184	Code:		
5		Apple 18.5V 4.6A (Rectangle)	2-Prong	85W	5 pin magnet
		P/N: A1172	Code:		
6		Dell 19.5V 3.34A	2-Prong	65W	Φ7.4×Φ5.0
		P/N: PA-12	Code:		
7		Dell 20V 3.5A	2-Prong	70W	Horseshoe
		P/N: 9364U Model: PA-6	Code:		
8		Dell 20V 4.5A	2-Prong	90W	Horseshoe
		P/N: 6G356 Model: PA-9	Code:		
9		Dell 19.5V 4.62A	2-Prong	90W	Φ7.4×Φ5.0
		P/N: PA-10	Code:		
10		Delta 19V 3.95A	2-Prong	75W	Φ5.5×Φ2.5
		P/N: ADP-75SB AB/ADP-75SB	Code:		

					
11		Delta 19V 3.95A P/N: ADP-75SB AB/ADP-75SE	2-Prong Code:	75W	Φ5.5×Φ1.5 
12		Delta 19V 4.74A P/N: ADP-90SB	2-Prong Code:	90W	Φ5.5×Φ1.7 
13		Delta 19V 4.74A P/N: ADP-90FB REV.E	2-Prong Code:	90W	Φ5.5×Φ2.5 
14		Hp/compaq 19V 3.95A P/N: 0905-4334	2-Prong Code:	75W	Φ5.5×Φ2.5 
15		Hp 18.5V 4.9A P/N: PA-1900-15C2	2-Prong Code:	90W	Φ5.5×Φ2.5 
16		Hp 18.5V 4.9A	2-Prong Code:	90W	Φ4.8×Φ1.7 
17		Hp/compaq 19V 4.74A P/N: 393954-001 Model: PA-1	2-Prong Code:	90W	Φ5.5×Φ2.5 
18		Hp/compaq 19V 4.74A	2-Prong Code:	90W	Φ4.8×Φ1.7 
19		HP 19V 4.74A P/N: PA-1900-18H2	2-Prong Code:	90W	Φ7.4×Φ5.0 
20		IBM (Lenovo) 20V 3.25A P/N: 92P1156	2-Prong Code:	65W	Φ7.9×Φ5.5 
21		IBM (Lenovo) 20V 4.5A P/N: 92P1113	2-Prong Code:	90W	Φ7.9×Φ5.5 
22		Liteon 19V 3.95A P/N: PA-1750-09	2-Prong	75W	Φ5.5×Φ2.5 

			Code:		
23		Liteon 19V 4.74A			Φ5.5×Φ2.5
		P/N: PA-1900-04	2-Prong	90W	
			Code:		
24		Liteon 15V 5A		75W	Φ6.3×Φ3.0
		P/N: PA-1750-08	2-Prong		
			Code:		
25		Sony 19.5V 4.7A	2-Prong	90W	Φ6.5×Φ4.4
		P/N: VGP-AC19V25	Code:		
26		Sony 16V 4A	2-Prong	65W	Φ6.5×Φ4.4
		P/N: PCGA-AC16V6	Code:		
27		Sony 19.5V 3.9A	2-Prong	90W	Φ6.5×Φ4.4
		P/N: VGP-AC19V19	Code:		
28		Sony 19.5V 4.1A	2-Prong	90W	Φ6.5×Φ4.4
		P/N: PCGA-AC19V3	Code:		
29		Samsung 19V 4.74A	2-Prong	90W	Φ5.5×Φ3.0
		P/N: AD-9019S	Code:		
30		Samsung 19V 4.22A	2-Prong	90W	Φ5.5×Φ3.0
		P/N: AD8019	Code:		
31		Gateway 19V 4.74A	2-Prong	90W	Φ5.5×Φ2.5
		P/N: 0220A1990	Code:		
32		Gateway 18.5V 4.9A	2-Prong	90W	Bullet
		P/N: 83-110106-3000	Code:		
33		Toshiba 19V 3.95A	2-Prong	75W	Φ5.5×Φ2.5
		P/N: PA3468E-1AC3	Code:		
34		Toshiba 19V 4.74A	2-Prong	90W	Φ5.5×Φ2.5
		P/N: PA3516U-1ACA	Code:		

					
35		Toshiba 15V 4A	2-Prong	60W	Φ6.3×Φ3.0
		P/N: PA3282U-2ACA	Code:		
36		Toshiba 15V 6A	2-Prong	90W	Φ6.3×Φ3.0
		P/N: PA2521E-2AC3	Code:		

Remark:

1. Sample: available
2. MOQ is 100 pcs.
3. Packing: plastic and blister bag and paper box.
4. Mass production ship date: 2-3 working days aftter receiving the deposit
5. Payment term: 30% down payment by TT and the balance 70% before shipment
6. Above prices do not include power cord, if you need power cord, please contact me
7. Quotation Valid time: one month
8. All Compitable model are collected from Internet, pls make strict confirmation before use it.
9. Some models are under development.
10. Warranty: 12-months for replacement adapter.
11. Through the CE FCC ROHS Certification